

2. Hospital Health Care Quality Data Set Filing Description

For all patients identified as eligible cases in the specific denominator and numerator categories (minus exclusions) listed in the current version of the *CMS Specifications Manual for National Hospital Quality Measures*, each hospital and ambulatory surgical facility or their agent shall report data to the MHDO for the following quality metrics:

- A. For each surgical patient receiving one of the selected surgeries specified in the current version of the *CMS Specifications Manual for National Hospital Quality Measures*, the Surgical Care Improvement Project (SCIP) metrics are:
- | | |
|---------------|--|
| SCIP-Card-2 | Surgery patients on beta-blocker therapy prior to arrival who received a beta-blocker during the perioperative period (Measure steward – CMS); |
| SCIP-Inf-1a-h | Prophylactic antibiotic received within one hour prior to surgical incision – overall rate and seven subcategory surgery rates (coronary artery bypass graft, cardiac surgery, hip arthroplasty, knee arthroplasty, colon surgery, hysterectomy, and vascular surgery) (Measure steward – CMS); |
| SCIP-Inf-2a-h | Prophylactic antibiotic selection for surgical patients – overall rate and seven subcategory surgery rates (coronary artery bypass graft, cardiac surgery, hip arthroplasty, knee arthroplasty, colon surgery, hysterectomy, and vascular surgery) (Measure steward – CMS); |
| SCIP-Inf-3a-h | Prophylactic antibiotics discontinued within 24 hours after surgery end time – overall rate and seven subcategory surgery rates (coronary artery bypass graft, cardiac surgery, hip arthroplasty, knee arthroplasty, colon surgery, hysterectomy, and vascular surgery) (Measure steward – CMS); |
| SCIP-Inf-4 | Cardiac surgery patients with controlled 6 A.M. postoperative serum glucose (Measure steward – CMS); |
| SCIP-Inf-09 | Urinary catheter removed on postoperative day I (POD 1) or postoperative day 2 (POD 2) (Measure steward – CMS); |
| SCIP-Inf-10 | Surgery patients with perioperative temperature management (Measure steward – CMS); and |
| SCIP-VTE-2 | Surgery patients who received appropriate venous thromboembolism (VTE) prophylaxis within 24 hours prior to surgery to 24 hours after surgery (Measure steward – CMS). |
- B. **Sampling Methods and Requirements.** For metrics identified in Sections A-D, the hospital or ambulatory surgical facility shall be subject to the current sampling strategy for the SCIP measures as specified in the current version of the *CMS Specifications Manual for National Hospital Quality Measures*.